

Biotage[®] Extrahera[™]

More Processing – Less Programming



Table of Contents

CONTENTS

- 2** Automated Sample Preparation
- 5** A Clean User Interface
- 6** Small Footprint
- 8** Columns or Well Plates
- 11** Money Saving Tips
- 12** Positive Pressure at Heart
- 14** Consumables and Accessories
- 16** Who is it for?
- 18** Technical Specifications
- 20** Service Information
- 21** Ordering Information



About Biotage

We offer high quality equipment, knowledge and experience in the areas of analytical chemistry, medicinal chemistry, peptide synthesis, separation and purification. Customers include companies within the pharmaceutical, biotech, food, manufacturing, and fine chemicals industries, as well as leading academic institutes.

Vision

“Our vision is to be the first choice for our employees, customers and shareholders by creating smart and efficient solutions in the fields of chemical synthesis and separations science”

Who Are We?

We are a global company headquartered in Uppsala, Sweden. We have offices in the US, UK, China and Japan. Biotage has approximately 293 employees and had sales of 610 MSEK in 2015. Biotage is listed on the NASDAQ OMX Nordic Stockholm stock exchange.



Biotage USA

Biotage, LLC
10430 Harris Oaks Blvd.,
Suite C
Charlotte, NC USA 28269
Telephone: +1 704 654 4900
Toll Free: +1 800 446 4752
Fax: +1 704 654 4917

Biotage UK

Biotage GB Limited
Distribution Way
Dyffryn Business Park
Ystrad Mynach
Hengoed CF82 7TS
United Kingdom
Telephone: +44 1443 811811

Lund Site (Sweden)

MIP Technologies AB
(a subsidiary of Biotage AB)
Box 737
220 07 Lund
Sweden
Telephone: +46 46 10 26 00
Email: busdev@biotage.com

Biotage AB (Headquarters)

Biotage AB
Box 8
751 03 Uppsala
Sweden
Phone: +46 18 56 59 00
Fax: +46 18 59 19 22
E-mail: info@biotage.com

Biotage China

Biotage Trading (Shanghai)
Co., Ltd
Room 725, No. 88, KeYuan Road
Shanghai, 201203
China
Telephone: +86 21 28986655
Fax: +86 21 28986153
Email: CN_Info@biotage.com

Biotage Japan

Biotage
2nd Mantomi Building, 6th
Floor
1-14-4 Kameido, Koto-ku, Tokyo
Japan 136-0071
Telephone: +81 3 5627 3123
Fax: +81 3 5627 3121

Automated Sample Preparation

No More Tedious Manual Labor

Here are six reasons why we think you would be making an excellent choice putting an Extrahera™ in your laboratory.

- » It is really easy to set up methods
- » With its small footprint you save lab space
- » Process well plates or columns on one system
- » Save solvents, time and money
- » You will receive consistent, accurate results
- » You will have a system optimized for top performing consumables



ISOLUTE® SLE+

Achieve high analyte recovery using a Load-Wait-Elute procedure.



EVOLUTE® EXPRESS

Powerful EVOLUTE sorbent chemistries combined with improved flow through characteristics.



ISOLUTE® PLD+

Remove >99 % of plasma proteins and phospholipids – improved analyte sensitivity.



Extrahera [ik-strə-hi-rə] v. (Swedish).

To get, pull, or draw out, usually with special effort, skill, or force; to separate or obtain a compound from a mixture by pressure, distillation, treatment with solvents, or the like.

📄 [Extraction of Methylmalonic Acid from Serum Using ISOLUTE® SLE+ Prior to LC-MS/MS Analysis](#)
Application Note AN851.v1

📄 [Extraction of Methylmalonic Acid from serum Using EVOLUTE® EXPRESS WAX Prior to LC-MS/MS Analysis](#)
Application Note AN848.v1

📄 [Extraction of 25-hydroxy Vitamin D from Serum Using ISOLUTE® PLD+ Prior to LC-MS/MS Analysis](#)
Application Note AN842.v1

Click to go to the document, alternatively find them by searching for the title or the part number on www.biotage.com





A Clean User Interface

Creating a Method is Simpler than Ever

The clean and simple user interface delivered with Extrahera makes setting up your system a joyful and easy task. It also means you can focus on other important tasks – less programming, more processing.

We believe that programming automation should be as easy as 1..2..3 and that is exactly what it takes to build a method using ISOLUTE® SLE+ on Extrahera

- » Pretreatment
- » Load
- » Elution

Database entries are selected during the three step tabbed process whereby an operator can toggle any part of a method On/Off easily. Save and re-use your favorite methods and generate pdf reports of your runs.



Small Footprint

Make the Most of Your Laboratory Space

The compact and intelligent design of Biotage® Extrahera™ means you do not waste any of your precious lab space. It also has an enclosed processing area and an integral exhaust fan that protects you and your colleagues.



Columns or Well Plates






































































Handles Both Formats

Depending on your industry, application or even matrix, the choice of consumable format may change. Maybe you are considering moving methods from columns to well plates for higher throughput.

With Extrahera, swapping between processing 1, 3 or 6 mL columns to a well plate format can be achieved in a matter of minutes.

24 Position Configuration

Utilize 4 pipette channels in parallel to process columns in either 1, 3 or 6 mL sizes.





Here is a Clever Tip

Saves You Solvent, Samples, Time and Money

Biotage® Extrahera™ uses industry standard clear automation tips for all liquid movements. The system has two tip rack positions, the first for reagents and solvent, the second for samples. Extrahera also features intelligent tip reuse options for your methods.


Pipetting specifications vary between 50 µL up to 1 mL suitable for challenging

low volume applications, and equally capable of handling larger sample or reagent volumes by using multiple 1 mL aliquots.

By design the system has been optimized to cope with volatile and low surface tension solvents used during SLE and some SPE procedures. Dichloromethane, chloroform, methyl

tert-butyl ether and diisopropyl ether have all been used successfully.

Pipetting characteristics can be tuned and optimized for all reagents and samples on the system to suit your requirements. The software contains a comprehensive database of commonly used reagents as a solid starting point.



Positive Pressure at Heart

Get the Most Out of Your Samples

At the heart of Extrahera is the positive pressure unit (patent pending) that keeps things moving whatever your method; SPE, SLE, PLD or PPT.

The benefits of positive pressure versus vacuum based processing mean that you can process your samples with a high degree of flow control, uniformity of processing across an entire well plate

even in instances of slow flowing of viscous samples.

The software features gradient flow control and when used in combination with the flow through plate, plate lifter with vacuum assisted waste stream, not only are you preventing cross talk and sample to sample contamination, you can have absolute confidence in your data.



Consumables and Accessories

Power to Your Engine

High Quality Consumables



ISOLUTE® SLE+

The Trusted Original SLE

ISOLUTE® SLE+ plates and columns are used for the supported liquid extraction of a diverse range of analytes from aqueous samples such as biological fluids (including whole blood, plasma, serum, urine and oral fluid), using a simple load-wait-elute procedure.



EVOLUTE® EXPRESS

Solid Phase Extraction Made Simple

The EVOLUTE® EXPRESS range of SPE columns and 96-well plates has improved flow-through characteristics and by eliminating the need for conditioning and equilibration, samples can be prepared much faster using the simplified Load-Wash-Elute procedure.



ISOLUTE® PLD+

Effortlessly Enhance Analyte Sensitivity

ISOLUTE® PLD+ Protein and Phospholipid Removal Plates and Columns provide a very effective but extremely simple sample clean-up for LC-MS/MS analysis. Requiring next to no method development, ISOLUTE PLD+ can be integrated quickly and easily into routine workflow, increasing productivity and reducing instrument downtime.



ISOLUTE® PPT+

Fast, Simple Protein Removal

Sample preparation using ISOLUTE® PPT+ Protein Precipitation Plates is fast and simple. The optimized filtration system in ISOLUTE PPT+ plates provides an easy to automate solution for efficient protein removal. The procedure is streamlined, with no awkward off-line steps.

Watch the Video ISOLUTE® SLE+

vimeo.com/119961214



Watch the Video EVOLUTE® EXPRESS

vimeo.com/124823929




Watch the Video ISOLUTE® PLD+

vimeo.com/122739561



Configuration Kits



Configuration Kit 96 Positions Dual Flow Part Number: 415040

The configuration kit for 96 position includes

Description	Part Number
Pressure Head DF-96 cpl	414846
Sealing 96	413629
Flow Through Plate	414201
Flagdriver, TX9	414561
Checkout Kit 96	414357
Col Plate 96X2	414200
ISOLUTE®-96 C18 50 mg plate	220-0050-P01
Extrahera Calibration vials, plastic 1 mL, 96 pcs	414509



Configuration Kit 24 Positions Dual Flow Part Number: 415041

The configuration kit for 24 position includes

Description	Part Number
Pressure Head DF-24 cpl	414847
Flow Through Plate 24	414203
Sealing 24	414148
Flagdriver, TX9	414561
Checkout Kit 24	414356
Col Plate 24x10	414202
ISOLUTE® C18 100 mg/3 mL	220-0010-B
Column Rack 24x3 mL	414174
Extrahera Calibration vials, plastic 1 mL, 96 pcs	414509

Collection Plates



96 Well Collection Plate

1 mL Square

Part Number: 121-5202



96 Well Collection Plate

2 mL Square

Part Number: 121-5203



96 Well Collection Plate

2 mL Round

Part Number: 121-5213



96 Well Collection Plate

350 µL Square

Part Number: 121-5201



48 Well Collection Plate

5 mL Square

Part Number: 121-5210



24 Well Collection Plate

10 mL Square


Part Number: 121-5208

Biotage® Extrahera™

Who is it For?

The versatility of Extrahera makes it suitable for all areas of analytical chemistry.

- » Pharmaceutical
- » Biotechnology
- » Hospital & clinical testing
- » Forensic testing
- » Contract research organizations (CROs)
- » Academic organizations
- » Food (human and animal)
- » Beverage testing laboratories
- » General environmental testing
- » Government research & testing
- » Tobacco industry



Technical Specifications

Liquid Handling

	Pipetting specifications	Up to 1000 µL in one aliquot, larger volumes handled in multiple aliquots At 50 µL: ±2.0% accuracy and 1.0% CV* At 100 µL: ±2.0% accuracy and 1.0% CV* At 500 µL: ±1.5% accuracy and 1.0% CV* At 1000 µL: ±1.0% accuracy and 1.0% CV* *Values derived using a 1000 µL tip.
	Solvent capacity	5 solvent pumps with automatic feed in from external reservoirs, with additional capacity for an extra 5 manually filled solvent reservoirs (5 x 25 mL or 5 x 100 mL)
	Pressure unit	0–5 bar positive pressure (0.1 bar increments)

Sample Processor

	Format	96-well extraction plates, 48-well extraction plates, 96-array plates for 1 and 2 mL wells 96-position extraction racks for 1 mL tabless columns (A format) 24-position extraction racks for 1, 3, and 6 mL columns (A, B, and C format)
	Plate positions	6 position upper deck used for sample, extraction plates, pipette tips and solvents. 4 positions on lower deck carousel for multiple elution and waste.
	Disposable tips	1000 µL clear tips

System Requirements

	Temperature	Operating Temperature: 15–32 °C Storage and transportation temperature: -25 °C to 60 °C
	Humidity	10–95% RH
	Electrical supply	100 to 240 V~, 50/60 Hz
	Fuses	T4A at the power inlet (2 required)
	Maximum power consumed	300 VA
	Pressurized air supply	>5 L/min (0.18 cubic feet/min), 6 ± 0.2 bar (0.6 ± 0.02 MPa; 87 ± 3 psi)
	Inert gas supply	AIR port requirements: >5 L/min (0.18 cubic feet/min), 6 ± 0.2 bar (0.6 ± 0.02 MPa; 87 ± 3 psi) N2 port requirements: 1 L/min (0.04 cubic feet/min) during processing and 70 L/min (2.5 cubic feet/min) during plate dry, 6 ± 0.2 bar (0.6 ± 0.02 MPa, 87 ± 3 psi)

	Vacuum supply	Partial pressure range: < 500 mbar (50 kPa; 7 psi) Flow rate: ≥ 8.3 L/min (0.29 cubic feet/min)
	Weight	75 kg (165 lbs)
	Dimensions (WxDxH)	Without touch screen: 610 x 510 x 730 mm (24.0" x 22.1" x 28.7") With touch screen: 860 x 570 x 730 mm (33.8" x 22.4" x 28.7")
	Max sound level	65 dB(A)

Interfaces

	Touch screen	12" Capacitive Touch
	Ethernet LAN	Complies with IEEE 802.3 (ANSI 8802-3)
	USB	USB 2.0

Other

	Certifications	CE, CSA certified
---	-----------------------	-------------------



Service Information

With a Biotage service agreement you can lock-in annual service costs to avoid unexpected expenses and eliminate the effort to generate a separate order for a service visit. Biotage systems with Priority Service Agreements are repaired on average five days quicker than units scheduled for on-demand service. Biotage service agreements are available in three standard tiers with the ability to customize for multiple units.

- » Value – Service agreement cost can be significantly less than the cost of a single repair.
- » Control – Your annual maintenance costs will be fixed with no surprises.
- » Faster response – Eliminate the time to generate and approve a purchase request.
- » No hassle – With a service agreement, simply contact Biotage 1-Point Support for fast resolution.

North America	Japan
US-1-pointsupport@biotage.com	JP-1-pointsupport@biotage.com
+1 800 446 4752 tel	+81 3 5627 3123 tel
+1 707 248 1541 fax	+81 3 5627 3121 fax
Europe	China
EU-1-pointsupport@biotage.com	CN-1-pointsupport@biotage.com
+800 1856 5911 tel	+86 21 2898 6655 tel
+46 1856 5705 fax	+86 21 2898 6153 fax

Biotage® 1-Point Support™



Ordering Information

Part no.	Description	Qty.	Part no.	Description	Qty.
414001	Biotage Extrahera	1	414579	Solvent Safety Kit (inc. GL45 Caps, Filters and Bottles, Qty. 5)	1
415040	Configuration Kit 96 Positions Dual Flow	1	413686SP	Tip Rack Holder	1
415041	Configuration Kit 24 Positions Dual Flow	1	414141	Biotage Disposable Tips 1000 µL Clear	10x96
414253SP	Column Rack 96 x 1 mL (tabless)	1	414201SP	Flow-Through Plate 96	1
414169SP	Column Rack 24 x 1 mL	1	414516SP	Flow-Through Plate 48	1
414174SP	Column Rack 24 x 3 mL	1	414203SP	Flow-Through Plate 24	1
413640SP	Column Rack 24 x 6 mL (tabless)	1	414703SP	Spacer for µElution and SPEC Fixed Well Plates	1
414256SP	Sample Rack 12 x 75 mm 24 Positions	1	414702SP	Matrix Tube retaining Plate	1
414255SP	Sample Rack 13 x 100 mm 24 Positions	1	414272SP	Waste Kit incl. Waste Reservoir 5 L and Tubing	1
414254SP	Sample Rack 16 x 100 mm 24 Positions	1	414218SP	Pipette Tip Waste Bin	1
C44651	12 x 75 mm Test Tube	1000	414565SP	Extraction Waste Collector for Lifter	1
C40707	13 x 100 mm Test Tube	1000	414137SP	Waste Tubing	1
C40708	16 x 100 mm Test Tube	1000	411916SP	Fuse, 4A/250VAC, 5x20mm	5
414574	Collection Vials 18 x 75 mm	304	C67361	Mains Cord-Set (EU)	1
121-5202	96-Well Collection Plate, 1 mL, Square	50	C65902	Mains Cord-Set (US/CA)	1
121-5203	96-Well Collection Plate, 2 mL, Square	50	C128195	Mains Cord-Set (UK)	1
121-5213	96-Well Collection Plate, 2 mL, Round	50	356330SP	Vacuum Pump ME1C, 100 to 230VAC 50/60Hz	1
121-5210	48-Well Collection Plate, 5 mL	20	SER-EX-IN	Installation - Extrahera	
121-5208	24-Well Collection Plate, 10 mL	50	SER-EX-SAP	Service Agreement - Priority - Extrahera	
414511SP	Collection Rack 12 x 75 mm 24 Positions	1	SER-EX-SAL	Service Agreement - Limited - Extrahera	
414512SP	Collection Rack 18 x 75 mm 24 Positions	1	SER-EX-FYMP	First Year Maintenance Package - Extrahera	
414578SP	Inserts for 12 x 32 mm vials for Collection Rack 12 x 75 mm 24 Positions	24	SER-EX-IQOQ	IQ/OQ - Extrahera	
413629SP	Pressure Head Seal 96 Positions	5	SER-EX-FYMP-Q	FYMP and Qualification Package - Extrahera	
414148SP	Pressure Head Seal 24 Positions	5	SER-EX-SAP-Q	Priority Service Agreement and Qualification Package - Extrahera	
413991SP	Solvent Rack for 25 mL Reservoirs	1			
414045SP	Solvent Reservoir 25 mL	25			
414215SP	Solvent Rack for 100 mL Reservoirs	1			
414214SP	Solvent Reservoir 100 mL	5			
414330SP	Kit, Solvent Inlet Lines (S1-S5)	5			

Learn More

We recommend only genuine Biotage accessories should be used in the system. To order consumables and accessories, see contact information on the back of this document. To find out more about Extrahera and related products, go to the product page on www.biotage.com

- 📄 **Comparison of Biotage® Extrahera™ vs. Manual Sample Processing Using a Vacuum Manifold**
Technical Note (PPS366)
- 📄 **Biotage® Extrahera™ Precision and Accuracy Performance**
96 Well Plate (PPS358)
24 Position (PPS360)
- 🌟 Click to go to the document, alternatively find them by searching for the title or the part number on www.biotage.com

- ▶ **Biotage® Extrahera™ System Demonstration**
vimeo.com/125770550
- ▶ **Biotage® Extrahera™ Tutorial Software Overview**
vimeo.com/126358181



Your Complete Partner for Effective Chemistry

Biotage is a worldwide supplier of instruments and accessories designed to facilitate the work of laboratory and process chemists. With our deep knowledge of the industry, academic contacts and in-house R&D teams, we can deliver the best solutions to your challenges. We take great pride in our flexibility and ability to meet our customer's individual needs. With strong foundations in both analytical, organic and process chemistry, we can offer the widest range of solutions available on the market.

EUROPE

Main Office: +46 18 565900
Toll Free: +800 18 565710
Fax: +46 18 591922
Order Tel: +46 18 565710
Order Fax: +46 18 565705
order@biotage.com
Support Tel: +46 18 56 59 11
Support Fax: + 46 18 56 57 11
eu-1-pointsupport@biotage.com

NORTH & LATIN AMERICA

Main Office: +1 704 654 4900
Toll Free: +1 800 446 4752
Fax: +1 704 654 4917
Order Tel: +1 704 654 4900
Order Fax: +1 434 296 8217
ordermailbox@biotage.com
Support Tel: +1 800 446 4752
Outside US: +1 704 654 4900
us-1-pointsupport@biotage.com

JAPAN

Tel: +81 3 5627 3123
Fax: +81 3 5627 3121
jp_order@biotage.com
jp-1-pointsupport@biotage.com

CHINA

Tel: +86 21 2898 6655
Fax: +86 21 2898 6153
cn_order@biotage.com
cn-1-pointsupport@biotage.com

To locate a distributor,
please visit our website
www.biotage.com

Part Number: PPS353.v3

© 2016 Biotage. All rights reserved. No material may be reproduced or published without the written permission of Biotage. Information in this document is subject to change without notice and does not represent any commitment from Biotage. E&OE. A list of all trademarks owned by Biotage AB is available at www.biotage.com/legal. Other product and company names mentioned herein may be trademarks or registered trademarks and/or service marks of their respective owners, and are used only for explanation and to the owners' benefit, without intent to infringe.

